

liquid concrete removers

Since 1927, Arrow-Magnolia has helped people solve their cleaning and maintenance problems with the finest products available today.

HIGHLIGHTS

- Non-Hazardous
- Turns Concrete Into Sand
- Biodegradable
- Non-Flammable
- No Muratic Acid
- No Sulfuric Acid
- No Hydrofluoric Acid


TYPICAL PROPERTIES

- Vapor Pressure: **33**
- Volatility: **86**
- Solubility: **Yes**
- Specific Gravity: **1.059**
- Vapor Density: **N/A**
- pH: **1.13**
- Evaporation Rate:
Slower than Ether
- Physical Description:
Clear, liquid with soapy odor

SAFETY CAUTIONS

- Keep out of reach of children.
- Use under normal atmospheric conditions in well-ventilated area.
- Keep containers closed when not in use.
- Refer to MSDS for additional safety information.

HMIS RATINGS



KWIK SAND 2016

Liquid

DESCRIPTION:

KWIK SAND 2016 is formulated specifically for the concrete industry to remove hardened concrete from trucks, equipment, forms, hoppers, pumps, tools, etc. KWIK SAND 2016 works without harsh acids like Sulfuric, Hydrofluoric, Muriatic and Phosphoric. It is so safe that it is classified as Non-Hazardous by the DOT. It has been formulated to remove large amounts of concrete build-up quickly. KWIK SAND 2016 will remove 1/8 to 1/4 of an inch of concrete at a time.

DIRECTIONS:

For best results, KWIK SAND 2016 should be brushed or sprayed on surface. Let the formulation remain on the surface at least 15 minutes. The dry hard concrete will be chemically changed to sand-like particles that may be brushed clean. KWIK SAND 2016 can be applied and left on overnight reducing costly overtime and labor.

The amount of application and time left on the surface will depend on the thickness of the concrete. May be diluted up to 2:1 with water.

manufactured by:

ARROW-MAGNOLIA INTERNATIONAL, Inc.
2646 Rodney Lane
Dallas, Texas 75229
Toll Free: 800.527.2101
Fax: 972.484.2896
www.arrowmagnolia.com